



**PRAGUE • 2023**



**KALIBRGUN**



**WE ARE DEVELOPING NEW PRE-CHARGED  
AIR RIFLES AND PISTOLS  
FOR HUNTING, SPORT AND LEISURE.**

# SPRINGBOK W SEMI-AUTO CAL. 4.5 (.177) / 5.5 (.22)



PCP rifle system	Bullpup
Shooting system	Semi-auto
Cocking system	Slider - switchable(left/right)
Magazine	15 shot in cal.4.5 (.177) / 13 shot in cal. 5.5 (.22)
Gun-stock	Wood
Cheek part	Wooden (included)
Barrel	520mm (cal.177) / 600 mm (cal.22) long standard profile no choke, 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	360 cc (in cal 4.5) / 500cc (in cal.5.5)
Air cylinder	Carbon Fiber Bottle
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (pin type)
Overall length	790 mm (cal.177) / 870 mm (cal.22) (34.2")
Weight	4.1 kg (9 lb) (without scope)



# CRICKET II TACTICAL 45 CRBT

CAL. 4.5 (.177) / 5.5 (.22)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	14 shot in cal. 4.5 (.177) / 14 shot in cal. 5.5 (.22)
Gun-stock	Wood
Cheek part	Wood, adjustable
Barrel	450 mm (17.7") long choked 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	350 cc
Air cylinder	Carbon Fiber Bottle
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (pin type)
Overall length	880 mm (34.6")
Weight	3.5 kg (7.7 lb) (without scope)



# CRICKET II TACTICAL 45 CF

CAL. 4.5 (.177) / 5.5 (.22)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	14 shot in cal.4.5 (.177) / 14 shot in cal. 5.5 (.22)
Gun-stock	Carbon fiber with magazine holder
Cheek part	Synthetic (included)
Barrel	450 mm (17.7") long choked 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	350 cc
Air cylinder	Carbon Fiber Bottle
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (pin type)
Overall length	680 mm (26.8")
Weight	3.4 kg (7.5 lb) (without scope)



# CRICKET II TACTICAL 45 WST

CAL. 4.5 (.177) / 5.5 (.22)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	14 shot in cal. 4.5 (.177) / 14 shot in cal. 5.5 (.22)
Gun-stock	Wood with magazine holder
Cheek part	Synthetic (included)
Barrel	450 mm (17.7") long choked 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	350 cc
Air cylinder	Carbon Fiber Bottle
Charging system	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (pin type)
Overall length	710 mm (27.9")
Weight	3.6 kg (7.9 lb) (without scope)



# CRICKET II TACTICAL 45 WTC

CAL. 4.5 (.177) / 5.5 (.22)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	14 shot in cal.4.5 (.177) / 14 shot in cal. 5.5 (.22)
Gun-stock	Wood with magazine holder
Cheek part	Synthetic (included)
Barrel	450 mm (17.7") long choked 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	350 cc
Air cylinder	Carbon Fiber Bottle
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (pin type)
Overall length	680 mm (26.8")
Weight	3.4 kg (7.5 lb) (without scope)



# CRICKET II TACTICAL 60 CF

CAL. 5.5 (.22) / CAL. 6.35 (.25) / CAL.7.62 (.30)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	14 shot in cal. 5.5 (.22) / 12 shot in cal. 6.35 (.25) / 10 shot in cal. 7.62 (.30)
Gun-stock	Carbon fiber with magazine holder
Cheek part	Synthetic (included)
Barrel	600 mm (23.6") long standard profile no choke, 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	500 cc
Air cylinder	Carbon Fiber Bottle
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (pin type)
Overall length	840 mm (33.1")
Weight	3.8 kg (8.3 lb) (without scope)

# CRICKET II TACTICAL 60 WST

CAL. 5.5 (.22) / CAL. 6.35 (.25) / CAL.7.62 (.30)



PCP rifle system  
Shooting system  
Cocking system  
Magazine

Gun-stock  
Cheek part  
Barrel

Manometer  
Fill pressure  
Air capacity  
Air cylinder  
Charging  
Scope mount  
Trigger  
Safety  
Overall length  
Weight

Bullpup  
Multi-shot  
Side lever - switchable (left/right)  
14 shot in cal. 5.5 (.22) /  
12 shot in cal. 6.35 (.25) / 10 shot in cal. 7.62 (.30)  
Wood with magazine holder  
Synthetic (included)  
600 mm (23.6") long standard profile no choke,  
12 grooved barrel with 450 mm (17.7") twist  
Yes  
300 Bar (4351 Psi)  
500 cc  
Carbon Fiber Bottle  
Quick charge system  
Weaver rail  
Adjustable trigger  
Manual trigger safety (pin type)  
860 mm (33.8")  
3.8 kg (8.3 lb) (without scope)





# CRICKET II TACTICAL 60 WTC

CAL. 5.5 (.22) / CAL. 6.35 (.25) / CAL.7.62 (.30)



- |                  |   |
|------------------|---|
| PCP rifle system | Bullpup   |
| Shooting system  | Multi-shot  |
| Cocking system   | Side lever - switchable (left/right)  |
| Magazine         | 14 shot in cal. 5.5 (.22) /<br>12 shot in cal. 6.35 (.25) / 10 shot in cal. 7.62 (.30)        |
| Gun-stock        | Wood with magazine holder   |
| Cheek part       | Synthetic (included)  |
| Barrel           | 600 mm (23.6") long standard profile no choke,<br>12 grooved barrel with 450 mm (17.7") twist |
| Manometer        | Yes   |
| Fill pressure    | 300 Bar (4351 Psi)  |
| Air capacity     | 500 cc  |
| Air cylinder     | Carbon Fiber Bottle   |
| Charging         | Quick charge system   |
| Scope mount      | Weaver rail   |
| Trigger          | Adjustable trigger  |
| Safety           | Manual trigger safety (pin type)  |
| Overall length   | 860 mm (33.8")  |
| Weight           | 3.8 kg (8.3 lb) (without scope)   |



# CRICKET II TACTICAL 70 WST

CAL. 5.5 (.22)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	14 shot in cal. 5.5 (.22)
Gun-stock	Wood with magazine holder
Cheek part	Synthetic (included)
Barrel	700 mm (23.6") long standard profile no choke, 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	700 cc
Air cylinder	Carbon Fiber Bottle
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (pin type)
Overall length	960 mm (33.8")
Weight	4.2 kg (9 lb) (without scope)



# ARGUS 45 W

CAL. 4.5 (.177) / 5.5 (.22)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	16 shot in cal. 4.5 (.177) / 13 shot in cal. 5.5 (.22)
Gun-stock	Wood
Cheek part	Wooden (included)
Barrel	450 mm (17.7") long choked 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	250 cc
Air cylinder	Fixed
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety
Overall length	640 mm (25")
Weight	3.6 kg (7.9 lb) (without scope)

# ARGUS 45 CF

CAL. 4.5 (.177) / 5.5 (.22)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	16 shot in cal. 4.5 (.177) / 13 shot in cal. 5.5 (.22)
Gun-stock	Wood
Cheek part	Wooden (included)
Barrel	450 mm (17.7") long choked 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	250 cc
Air cylinder	Fixed
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety
Overall length	640 mm (25")
Weight	3.4 kg (7.5 lb) (without scope)

# ARGUS 60 W

CAL. 5.5 (.22) / 6.35 (.25) / 7.62 (cal.30)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	13 shot in cal. 5.5 (.22) / 12 shot in cal. 6.35 (.25) / 10 shot in cal. 7.62 (.30)
Gun-stock	Wood
Cheek part	Wooden (included)
Barrel	600 mm (23.6") long standard profile no choke, 12 grooved barrel with 450 mm (17.7") twist
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	350 cc
Air cylinder	Fixed
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety
Overall length	820 mm (32.3")
Weight	4.1 kg (9 lb) (without scope)



# ARGUS 60 CF

CAL. 5.5 (.22) / 6.35 (.25) / 7.62 (cal.30)



- |                  |  |
|------------------|--|
| PCP rifle system | Bullpup  |
| Shooting system  | Multi-shot   |
| Cocking system   | Side lever - switchable (left/right)   |
| Magazine         | 13 shot in cal. 5.5 (.22) / 12 shot in cal. 6.35 (.25) / 10 shot in cal. 7.62 (.30)        |
| Gun-stock        | Carbon fiber   |
| Cheek part       | Carbon fiber (included)  |
| Barrel           | 600 mm (23.6") long standard profile no choke, 12 grooved barrel with 450 mm (17.7") twist |
| Manometer        | Yes  |
| Fill pressure    | 300 Bar (4351 Psi)   |
| Air capacity     | 350 cc   |
| Air cylinder     | Fixed  |
| Charging         | Quick charge system  |
| Scope mount      | Weaver rail  |
| Trigger          | Adjustable trigger   |
| Safety           | Manual trigger safety  |
| Overall length   | 820 mm (32.3")   |
| Weight           | 3.9 kg (8.6 lb) (without scope)  |



# CRICKET II SMOOTH CF CAL. 4.5 (.177) / 5.5 (.22) / 6.35 (.25) / 7.62 (.30)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	14 shot in cal. 4.5 (.177) / 5.5(.22), 12 shot in cal. 6.35 (.25), 10 shot in cal. 7.62 (.30)
Gun-stock	Carbon fiber
Cheek part	Synthetic (included)
Barrel	450 mm (17.7") long choked 12 grooved barrel with 450 mm (17.7") twist (.177, .22) 600 mm (23.6") polygonal profile no choke, 12 grooved barrel with 760 mm (29.9") twist (.30)
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	280 cc
Air cylinder	Fixed
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (rotary style)
Overall length	680 mm (26.8") cal.177, .22 / 840 mm (33.1") cal.25, .30
Weight	3.0 kg (6.6 lb) (without scope) cal. 177, .22 / 3.3 kg (7.2 lb) cal.25 , .30



# CRICKET II SMOOTH WB

CAL. 4.5 (.177) / 5.5 (.22) / 6.35 (.25) / 7.62 (.30)




PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	14 shot in cal. 4.5 (.177) / 5.5(.22), 12 shot in cal. 6.35 (.25), 10 shot in cal. 7.62 (.30)
Gun-stock	Wood with magazine holder
Cheek part	Synthetic (included)
Barrel	450 mm (17.7") long choked 12 grooved barrel with 450 mm (17.7") twist (.177, .22) 600 mm (23.6") polygonal profile no choke, 12 grooved barrel with 760 mm (29.9") twist (.30)
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	280 cc
Air cylinder	Fixed
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (rotary style)
Overall length	680 mm (26.8") cal.177, .22 / 840 mm (33.1") cal.25, .30
Weight	3.2 kg (7.1 lb) (without scope) cal. 177, .22 / 3.4 kg (7.5 lb) cal.25, .30





# CRICKET II SMOOTH WSA

CAL. 4.5 (.177) / 5.5 (.22) / 6.35 (.25) / 7.62 (.30)



PCP rifle system	Bullpup
Shooting system	Multi-shot
Cocking system	Side lever - switchable (left/right)
Magazine	14 shot in cal. 4.5 (.177) / 5.5(.22), 12 shot in cal. 6.35 (.25), 10 shot in cal. 7.62 (.30)
Gun-stock	Wood with magazine holder
Cheek part	Synthetic (included)
Barrel	450 mm (17.7") long choked 12 grooved barrel with 450 mm (17.7") twist (.177, .22) 600 mm (23.6") polygonal profile no choke, 12 grooved barrel with 760 mm (29.9") twist (.30)
Manometer	Yes
Fill pressure	300 Bar (4351 Psi)
Air capacity	280 cc
Air cylinder	Fixed
Charging	Quick charge system
Scope mount	Weaver rail
Trigger	Adjustable trigger
Safety	Manual trigger safety (rotary style)
Overall length	680 mm (26.8") cal.177, .22 / 840 mm (33.1") cal.25, .30
Weight	3.2 kg (7.1 lb) (without scope) cal. 177, .22 / 3.4 kg (7.5 lb) cal.25, .30



# CRICKET II SMOOTH PLB

CAL. 4.5 (.177) / 5.5 (.22) / 6.35 (.25) / 7.62 (.30)



PCP rifle system  
Shooting system  
Cocking system  
Magazine

Gun-stock  
Cheek part  
Barrel

Manometer  
Fill pressure  
Air capacity  
Air cylinder  
Charging  
Scope mount  
Trigger  
Safety  
Overall length

Weight

Bullpup  
Multi-shot  
Side lever - switchable (left/right)  
14 shot in cal. 4.5 (.177) / 5.5(.22),  
12 shot in cal. 6.35 (.25), 10 shot in cal. 7.62 (.30)  
Wood with magazine holder  
Synthetic (included)  
450 mm (17.7") long choked 12 grooved barrel  
with 450 mm (17.7") twist (.177, .22)  
600 mm (23.6") polygonal profile no choke,  
12 grooved barrel with 760 mm (29.9") twist (.30)  
Yes  
300 Bar (4351 Psi)  
280 cc  
Fixed  
Quick charge system  
Weaver rail  
Adjustable trigger  
Manual trigger safety (rotary style)  
680 mm (26.8") cal.177, .22 /  
840 mm (33.1") cal.25, .30  
3.2 kg (7.1 lb) (without scope) cal. 177, .22 /  
3.4 kg (7.5 lb) cal.25, .30



All wooden stock we can produce from laminated wood with different color.

BO / EBC



SG / BSW / BO




SB / SG




BW / N / EBC



SG / EBC



BRW / BSW / GGR





**KALIBRGUN**

**KALIBRGUN VALDY EU S.R.O.**

Na louži 940/3  
101 00, Prague  
Czech Republic

[richard@kalibrgun.cz](mailto:richard@kalibrgun.cz)  
[info@kalibrgun.com](mailto:info@kalibrgun.com)  
[support@kalibrgun.com](mailto:support@kalibrgun.com)

**[WWW.KALIBRGUN.COM](http://WWW.KALIBRGUN.COM)**